

Docket No.: 49677-154 PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Customer Number: 20277

Tomomi MORIYA, et al.

Confirmation Number: 4705

Serial No.: 10/796,052

Group Art Unit: 1731

Filed: March 10, 2004

Examiner: Not yet assigned

For:

METHOD AND APPARATUS FOR MANUFACTURING GLASS TUBE

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Mail Stop Missing Parts Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

We are in receipt of the Notice to File Corrected Application Papers mailed June 1, 2004.

- In response to this Notice, submitted herewith are:

 1. 11 sheets of substitute drawings in compliance with CFR 1.84.
- 2. Certified Copy of Japanese Priority Documents (6)

If anything further is needed, please contact the undersigned immediately.

To the extent necessary, a petition for an extension of time under 37 C.F.R. 1.136 is hereby made. Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to Deposit Account 500417 and please credit any excess fees to such deposit account.

Respectfully submitted,

MCDERMOTT WILL & EMERY LLP

Registration No. 26,527

600 13th Street, N.W. Washington, DC 20005-3096 (202) 756-8000 SAB:etp Facsimile: (202) 756-8087 **Date: July 26, 2004**



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : Customer Number: 20277

Tomomi MORIYA, et al. : Confirmation Number: 4705

Serial No.: 10/796,052 : Group Art Unit: 1731

Filed: March 10, 2004 : Examiner: Not yet assigned

For: METHOD AND APPARATUS FOR MANUFACTURING GLASS TUBE

TRANSMITTAL OF FORMAL DRAWINGS

Mail Stop Missing Parts Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

At the time the above application was filed, informal drawings were presented with the application.

Eleven (11) sheets of replacement formal drawings are submitted herewith.

Respectfully submitted,

MCDERMOTT WILL & EMERY LLP

Stephen A. Becker Registration No. 26,527

600 13th Street, N.W. Washington, DC 20005-3096 (202) 756-8000 SAB:etp Facsimile: (202) 756-8087

Date: July 26, 2004



United States Patent and Trademark Office

IPW

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspib.gov

APPLICATION NUMBER

FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/796.052

03/10/2004

Tomomi Moriya

49677-154

McDERMOTT, WILL & EMERY 600 13th Street, N.W. Washington, DC 20005-3096



CONFIRMATION NO. 4705
FORMALITIES LETTER
OC000000012817883

Date Mailed: 06/01/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 7.
 - The drawing figures contain text that is not in English (including, for example, a flow chart that was originally not in English that has been marked up to include the English text) (see 37 CFR 1.84(p)(2) and 37 CFR 1.52(d)(1)). See Figure(s) 9A.

Replies should be mailed to:

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice <u>MUST</u> be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE